



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

April 4, 2018

Kimberly Robinson
Imerys Minerals California, Inc.
C/O Spring Trading Company
203 Dogwood Trail
Magnolia, TX 77354

Subject: PRIA Label Amendment – including the addition of 3 new pests, with studies, as well as listing the pests in categories and merging Poultry and Livestock.
Product Name: Diafil® 610
EPA Registration Number: 73729-1
Application Date: November 13, 2017
Decision Number: 537692

Dear Ms. Robinson:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2
EPA Reg. No. 73729-1
Decision No. 537692

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Richard Gebken by phone at (703) 305-6701, or via email at gebken.richard@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Gebken", written in a cursive style.

Richard Gebken
Product Manager 10
Invertebrate & Vertebrate Branch 2
Registration Division (7505P)
Office of Pesticide Programs


Enclosure

MASTER LABEL

Primary Brand Name: Diafil® 610
Alternate Brand Name: Celite® 610

MECHANICAL INSECTICIDE

Effective and long lasting when kept dry.



Kills the following:

Beetles: 12-spotted Cucumber Beetles, Asparagus Beetles, Bean Beetles, Blister Beetles, Boll Weevils, Cigarette Beetle, Colorado Potato Beetles, Confused Flour Beetles, Cucumber Beetles, Dark Mealworms, Darkling Beetles (lesser meal worm), Dried Fruit Beetles, Drugstore Beetles, Elm Leaf Beetles, Flea Beetles, Japanese Beetles, Mealworms, Mexican Bean Beetles, Pink bollworms, Red Flour Beetles, Saw Toothed Grain Beetles, Spider Beetles, Western Yellow-striped Armyworms, Yellow Mealworms

Moths: Angoumois Grain Moths, Artichoke Plume Moths, Bagworms, Codling Moths, Diamondback Larvae and Moths, European Pine Tip Moths, Grape Leaf Skeletonizers, Gypsy Moths (adults & larvae), Indian Meal Moths, Moths, Mediterranean Flour Moths, Small Flying Moths, Tobacco Moths, Tussock Moths,

Weevils: Carrot Weevils, Clover Weevils, Pepper Weevils, Rice Weevils, Weevils,

Flies, Gnats, Maggots: Apple Maggots, Blow Flies, Cabbage Maggots, Cherry Fruit Flies, Crane Flies, Fruit Flies, Fungus Gnats, Gnats, Houseflies, Maggots, Mushroom Flies, Olive Fruit Flies, Onion Maggots, Shore flies, Vinegar Flies, Whiteflies,

“Worms” Slugs and Caterpillars: Armyworms, Beet Armyworms, Cross-striped Cabbageworms, Cankerworms, Caterpillars, Corn Earworms, Eastern Tent Caterpillars, Fire worms, Forest Tent Caterpillars, Fruit worms, Hornworms, Green Fruit Worms, Imported Cabbageworms, Navel Orange worms, Potato Tuber worms, Saltmarsh caterpillars, Slugs Tomato Budworms, Tomato Fruit worms, Tomato Hornworms, Tomato pinworms, Webworms,

“Bugs” Scales and Mites: Billbugs, Box Elder Bugs, Clover Mites, Eriophyid Mites, Fleas, Grain Mites, Grape Mealy bugs, Green bugs, Harlequin Bugs, Lace Bugs, Leaf-footed plant bugs, Mealy Bugs, Proba bugs, Tarnished Plant Bugs, Tomato bugs, Tomato Russet Mite, Scales, Soft Scales, Squash bugs, Stink Bugs, Southern chinch bugs, Sow bugs, Vine mealy bugs,

Aphids, Borers, Leafhoppers, Leaf miners, loopers and other insects as listed: Ants (excluding Fire, Harvester, Carpenter and Pharaoh ants), Aphids, , Armored Scales, Bermudagrass Mirids, Branch and Twig Borers, Cabbage Loopers, Cadelles, Chalcids, Cheese Skippers, Cockroaches, Crickets, Earwigs, European Corn Borer, Fruit tree Leaf rollers, Garden Symphylan, Glassy Winged Sharpshooters, Grape Leafhoppers, , Grasshoppers, Green Peach Aphids, Greenhouse Thrips, Heliothis spp., Katydid, , Leafhoppers, Leafminers, Leafrollers, Leaf tiers, Loopers, Lygus, Millipedes, Mole crickets, Orange Tortrix, Pacific flatheaded borers, Pear Psyllids, Potato Leafhoppers, Psyllids, Sharpshooters, Shot hole borers, Silverfish, Skippers, Springtails, Thrips.

ACTIVE INGREDIENT:

Diatomaceous Earth, chemical composition consisting of:

Silicon Dioxide	85.0%
OTHER INGREDIENTS ...	15.0%
Total	100.0%

Net Weight: _____ lbs.

EPA Reg. No. 73729-1

EPA Establishment No. 073729-NV-001
EPA Establishment No. 073729-MEX-002
Batch Code:

IMERYS FILTRATION MINERALS, INC.
2500 MIGUELITO RD.
LOMPOC CA 93436

SUBLABEL A

Primary Brand Name: Diafil® 610
Alternate Brand Name: Celite® 610

Effective and long lasting when kept dry.

Kills the following:

Beetles: 12-spotted Cucumber Beetles, Asparagus Beetles, Bean Beetles, Blister Beetles, Boll Weevils, Cigarette Beetle, Colorado Potato Beetles, Confused Flour Beetles, Cucumber Beetles, Dark Mealworms, Darkling Beetles (lesser meal worm), Dried Fruit Beetles, Drugstore Beetles, Elm Leaf Beetles, Flea Beetles, Japanese Beetles, Mealworms, Mexican Bean Beetles, Pink bollworms, Red Flour Beetles, Saw Toothed Grain Beetles, Spider Beetles, Western Yellow-striped Armyworms, Yellow Mealworms

Moths: Angoumois Grain Moths, Artichoke Plume Moths, Bagworms, Codling Moths, Diamondback Larvae and Moths, European Pine Tip Moths, Grape Leaf Skeletonizers, Gypsy Moths (adults & larvae), Indian Meal Moths, Moths, Mediterranean Flour Moths, Small Flying Moths, Tobacco Moths, Tussock Moths,

Weevils: Carrot Weevils, Clover Weevils, Pepper Weevils, Rice Weevils, Weevils,

Flies, Gnats and Maggots: Apple Maggots, Blow Flies, Cabbage Maggots, Cherry Fruit Flies, Crane Flies, Fruit Flies, Fungus Gnats, Gnats, Houseflies, Maggots, Mushroom Flies, Olive Fruit Flies, Onion Maggots, Shore flies, Vinegar Flies, Whiteflies,

“Worms” Slugs and Caterpillars: Armyworms, Beet Armyworms, Cross-striped Cabbageworms, Cankerworms, Caterpillars, Corn Earworms, Eastern Tent Caterpillars, Fire worms, Forest Tent Caterpillars, Fruit worms, Hornworms, Green Fruit Worms, Imported Cabbageworms, Navel Orange worms, Potato Tuber worms, Saltmarsh caterpillars, Slugs Tomato Budworms, Tomato Fruit worms, Tomato Hornworms, Tomato pinworms, Webworms,

“Bugs” Scale and Mites: Billbugs, Box Elder Bugs, Clover Mites, Eriophyid Mites, Fleas, Grain Mites, Grape Mealy bugs, Green bugs, Harlequin Bugs, Lace Bugs, Leaf-footed plant bugs, Mealy Bugs, Proba bugs, Tarnished Plant Bugs, Tomato bugs, Tomato Russet Mite, Scales, Soft Scales, Squash bugs, Stink Bugs, Southern chinch bugs, Sow bugs, Vine mealy bugs,

Aphids, Borers, Leafhoppers, Leaf miners, loopers and other insects as listed: Ants (excluding Fire, Harvester, Carpenter and Pharaoh ants), Aphids, , Armored Scales, Bermudagrass Mirids, Branch and Twig Borers, Cabbage Loopers, Cadelles, Chalcids, Cheese Skippers, Cockroaches, Crickets, Earwigs, European Corn Borer, Fruit tree Leaf rollers, Garden Symphylan, Glassy Winged Sharpshooters, Grape Leafhoppers, , Grasshoppers, Green Peach Aphids, Greenhouse Thrips, Heliothis spp., Katydid, , Leafhoppers, Leafminers, Leafrollers, Leaf tiers, Loopers, Lygus, Millipedes, Mole crickets, Orange Tortrix, Pacific flatheaded borers, Pear Psyllids, Potato Leafhoppers, Psyllids, Sharpshooters, Shot hole borers, Silverfish, Skippers, Springtails, Thrips.

ACTIVE INGREDIENT:

Diatomaceous Earth, chemical composition consisting of:

Silicon Dioxide	85.0%
OTHER INGREDIENTS.....	15.0%
Total.....	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

If In Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Call 1-800-222-1222

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Causes moderate eye irritation. Avoid contact with eyes. Use adequate ventilation and avoid breathing dust. Wear a suitable dust mask approved by NIOSH/MSHA when using this product during prolonged exposure.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

PRODUCT INFORMATION

This product is a ready-to-use insecticide which provides effective control against crawling and flying insects, pests and mites. Surfaces treated with DIAFIL® 610 will control flying insects if they land on the treated surface. DIAFIL® 610 is a mechanical insect killer. Insects cannot become immune to its action. Insects come in contact or ingest this powder and die within 48 hours.

APPLICATION

This product is for use in and around residential, commercial and agricultural buildings, structures and their immediate surroundings, in and around food/feed handling establishments, in and around livestock and poultry houses and may be applied over the top while animals are present, on crops, and stored grain.

DIAFIL® 610 is intended for application using commercially available hand dusters, power dusters or other suitable means for application to areas where insect pests are found. Alternatively, DIAFIL® 610 can be applied as a wettable powder (WP). WP treatments are intended both for indoor and outdoor applications and can be applied in a targeted manner.

Slurry Mixing: When a WP application is desired or being utilized, use the following procedure:

Mixing

1. Fill spray tank using 2/3 of the desired amount of water and add optional non-ionic surfactant according to label rate, and stir.
2. Typical Ratio is 1 lb of DIAFIL® 610 per gallon of water in the total spray mixture. Maximum slurry solids is 1.65 lbs per gallon of water.
3. After DIAFIL® 610 is thoroughly blended add the remaining amount of water and stir.

Notes:

- Non-ionic surfactants or wetting agents are used to promote adhesion on hydrophobic surfaces.
- It is advised to mix this solution directly prior to spraying and apply the entire batch within 8 hours.
- DIAFIL® 610 will settle if left undisturbed for more than 1 hour, therefore, it is recommended to shake the container prior to restarting the application.
- When proper coverage is obtained, a visible white residue will be apparent on the treated surface.

CROP APPLICATIONS

DIAFIL® 610 may be applied as a wettable powder to all growing crops to control insect pests and mites. Minimum application rate is 3 lbs per acre with a maximum application rate of 70 lbs per acre. Slurry solids should be adjusted to match the application equipment. Repeat treatments to maintain adequate control in the event of rain. It is advisable to add non-ionic surfactants or wetting agents to promote adhesion on foliage.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

This product does not have a restricted entry interval (REI) after application.

POULTRY AND LIVESTOCK

For use in and around Poultry and Livestock housing structures, swine houses, cattle barns, calf hutches, loafing barns, horse stables and pet kennels to control insect pests and mites. Apply uniformly to infested areas of walls and floors, cracks, crevices, bedding, wall voids and around window and door frames. Applications are permitted when animals are present and may be used over the top of animals. Applications are permitted mid-flock while birds are present, over the top of the birds. Do not apply directly to animal feed or watering equipment. Litter should be retreated when replaced and before each new batch of poultry is introduced to the facility. Repeat treatments as necessary to maintain adequate control if Diafil® 610 has been covered with animal waste.

Litter Treatment:

Use a handheld, power duster or powder spreader to evenly distribute 4 lbs per 1000 square feet over the litter, to the areas underneath feed and watering equipment lines. Applications can be made up to 7.5 lbs per 100 square feet for severe infestations. If litter is greater than 3 inches deep, apply up to an additional 2.5 lbs per 100 square feet per additional inch of litter.

Wall Treatment:

Apply as a dry powder OR wettable powder to cracks and crevices. The amount of product to be applied will vary with the site but should be in the range of 2-5 oz/100 square feet.

STORED GRAIN

An effective addition for insect pest control, by physical action for suppressing insect damage to stored grain, including barley, buckwheat, corn, oats, rice, rye, sorghum grain, wheat, and mixtures of these grains.

Adjust moisture content of grain to not over 12% by weight and add 1-2 lbs of this product per ton of grain at the point of entry into storage. Up to 7 pounds of this product per ton of grain can be added in the event of severe infestation. Treated grain may be reduced to a lower grade, have reduced flowability and test weight. For best results, treat grain immediately after harvest.

FOOD AREAS OF FOOD/FEED HANDLING ESTABLISHMENTS

Food/feed handling establishments are places other than private residences in which food/feed is held, processed, prepared or served. Apply DIAFIL® 610 where these insect pests may be entering the structure, traveling, breeding or harboring. Remove or cover all food or feed items in the treatment area before applying product. Treat open spaces below floors, above ceilings, within walls, under stairs, underneath and behind equipment or appliances, around pipes and sinks, in utility closets and around garbage and waste cans. In food handling areas, or areas where food or feed products are prepared or stored, apply as a crack & crevice or spot treatment. As a crack & crevice treatment, apply sparingly into cracks and crevices using equipment designed to place powder into specific locations. Limit spot treatments to walls or floors where pests are suspected of hiding. No individual spot treatments should exceed 2 square feet. For best results, apply to dry areas. Repeat treatment on dry surfaces if DIAFIL® 610 has been removed to maintain control of problem insect pests. Apply as a dry powder OR wettable powder in a targeted manner. The amount of product to be applied will vary with the site but should usually be in the range of 2-5 oz/100 square feet.

RESIDENTIAL USES (INDOOR AND OUTDOOR APPLICATIONS)

In living areas, make applications in such a manner as to avoid deposits on exposed surfaces or introducing the material into the air. Application as WP will facilitate a targeted application. Treat a small area of the surface to be treated and look for staining or other adverse reactions before making regular application.

To apply DIAFIL® 610 directly into cracks and crevices, use a bulbous duster or other suitable equipment. Apply lightly and uniformly to infested areas. The amount of product to be applied will vary with the site but should usually be in the range of 2-5 oz/100 square feet.

Indoor use: Lightly coat a thin layer of DIAFIL® 610 in areas where target pests are found and may hide such as cracks and crevices, behind and beneath refrigerators, cabinets, stoves, garbage cans and in and around sewer pipes and drains, window frames and in attics and basements. Dust insects directly if possible. Repeat treatment if the product is inadvertently removed. The amount of product to be applied will vary with the site but should usually be in the range of 2-5 oz/100 square feet.

Fleas: Thoroughly treat floor and bedding in and around pets' sleeping quarters. Treat surrounding cracks and crevices, baseboards, carpeting and wherever fleas are suspected.

Carpet Beetles: Dust along baseboards, carpet edges, under carpeting, furniture, in closets and shelving where these insects are seen or suspected.

Bedbugs: Dismantle bed. Use DIAFIL® 610 in joints, crevices and where rungs are inserted. See that all interior areas are dusted. Dust mattresses especially folds and edges. All cracks and crevices and around window openings in the bedroom should be treated.

Outdoor Use: Lightly coat a thin layer of DIAFIL® 610 in areas where these insect pests are found such as patios, outdoor sills, window and door frames. Apply around foundations, along ant trails and around sewer pipes and drains. Repeat treatment if the product is inadvertently removed. The amount of product to be applied will vary with the site but should usually be in the range of 2-5 oz/100 square feet.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

STORAGE: Store in a cool, dry area

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: **If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Manufacturer makes no warranty, expressed or implied, regarding the performance of this product in the absence of control over how it is used.

Net Weight: _____ lbs.

EPA Reg. No. 73729-1

EPA Establishment No. 073729-NV-001
EPA Establishment No. 073729-MEX-002
Batch Code:

IMERY'S FILTRATION MINERALS, INC.
2500 MIGUELITO RD.
LOMPOC CA 93436

SUBLABEL B

Celite® 610

FOR PEST MANAGEMENT PROFESSIONALS

Celite® 610

MECHANICAL INSECTICIDE

(SEE DIAFIL 610 LABEL FOR A FULL LIST OF INSECT PESTS)

ACTIVE INGREDIENT:

ACTIVE INGREDIENT:

Diatomaceous Earth, chemical composition consisting of:

Silicon Dioxide.....	85.0%
OTHER INGREDIENTS.....	15.0%
Total.....	100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Call 1-800-222-1222

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Causes moderate eye irritation. Avoid contact with eyes. Use adequate ventilation and avoid breathing dust. Wear a suitable dust mask approved by NIOSH/MSHA when using this product during prolonged exposure.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **This recommendation must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.**

PRODUCT INFORMATION

Celite® 610 is a ready-to-use insecticide which provides effective control against crawling and flying insect pests and mites.. It is a mechanical insect killer. Insects cannot become immune to its action.

Insects come in contact or ingest this powder and die within 48 hours.

This package only contains 1 lb of Celite® 610 to facilitate simple mixing for application as a wettable powder.

Net weight: 1 lb

FOR PEST MANAGEMENT PROFESSIONALS

Celite® 610

MECHANICAL INSECTICIDE

WETTABLE POWDER MIXING INSTRUCTIONS PER 1 GALLON CONTAINER

1. Add about 2/3 gallon of water to the container.
2. Close and shake vigorously for 10-15 seconds to disperse the Celite® 610.
3. Fill the container with the remaining water.
4. Close and shake vigorously for another 10-15 seconds.
5. Carefully decant into handsprayer, pressurize and apply a single, even coat to the target area.

NOTES:

- A Non-ionic surfactant can be used to promote adhesion onto hydrophobic surfaces.
- It is advised to mix this solution directly prior to spraying and apply the entire batch within 8 hours.
- Celite® 610 will settle if left undisturbed for more than 1 hour, so it is recommended to shake the container prior to restarting application.
- When proper coverage is obtained, a visible white residue will be apparent on the treated surfaces.

Manufacturer makes no warranty, expressed or implied, regarding the performance of this product in the absence of control over how it is used.

APPLICATIONS:

Apply in areas where insect pests are found; in and around residential, commercial and agricultural buildings, structures and their immediate surroundings, in and around food/ feed handling establishments, in and around livestock and poultry houses and may be applied over the top while animals are present, in and around swine houses, cattle barns, calf hutches, loafing barns, horse stables, pet kennels, patios, outdoor sills, window, door frames, cracks and crevices, around foundations, along ant trails and around sewer pipes and drains.

Apply in a manner as to avoid introducing the material into the air. The amount of product to be applied will vary with the site but should usually be in the range of 2-5 oz/100 ft².

LIVESTOCK: To control Ants, Spiders, Fleas, Houseflies, Little Houseflies, Cockroaches, Mites, Litter Beetles, Hide Beetles, Earwigs and other insects.

POULTRY HOUSES: To control Bedbugs, Mites, Litter Beetles (Darkling Beetles) and Hide Beetles.

FOOD/FEED HANDLING ESTABLISHMENTS: To control Asian Lady Beetles, Boxelder Bugs and Cluster Flies
INDOOR USE: To control Cockroaches, Ants, Earwigs, Millipedes and Centipedes, Crickets and Silverfish.

OUTDOOR USE: To control Cockroaches, Earwigs, Grasshoppers, Ants, Crickets and other insects.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

STORAGE: Store in a cool, dry area

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: **If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Net Weight: 1 lb.
EPA Reg. No. 73729-1
EPA Establishment No. 073729-MEX-002



IMERYS

IMERYS FILTRATION MINERALS, INC.
2500 Miguelito Rd., Lompoc, CA 93436

Note: Bracketed Text is Optional. [OPTIONAL]

The following Optional graphics may appear on the Front Panel or elsewhere on Sublabels



IMERYS